



## QYLU.EX6155 Internal-combustion Engines for Driving Stationary Fire Pumps

[Page Bottom](#)

### Internal-combustion Engines for Driving Stationary Fire Pumps

[See General Information for Internal-combustion Engines for Driving Stationary Fire Pumps](#)

#### CLARKE U K LTD

GRANGE WORKS

LOMOND RD

COATBRIDGE, ML5 2NN UNITED KINGDOM

EX6155

#### DIESEL ENGINES RATED AT SPECIFIC SPEEDS

Model	No. of Cylinders	Rated HP	Rated Speed (rpm)
JU4H-UF04	4	50	2350
JU4H-UF04	4	55	2600
JU4H-UF04	4	60	2800
JU4H-UF04	4	60	3000
JU4H-UF10	4	41	1760
	4	51	2100
	4	55	2350
JU4H-UF12	4	55	2350
	4	59	2600
JU4H-UF14	4	55	2350
	4	59	2600
	4	70	2800
	4	71	3000
JU4H-UF20	4	60	1760
	4	67	2100
	4	72	2350
JU4H-UF22	4	72	2350
	4	75	2600
JU4H-UF24	4	72	2350
	4	75	2600
	4	80	2800
	4	83	3000
JU4H-UF30	4	64	1760
	4	79	2100
	4	85	2350

JU4H-UF32	4	85	2350
	4	85	2600
JU4H-UF34	4	85	2350
	4	85	2600
	4	104	2800
	4	115	3000
JU4H-UFH8	4	63	1470
	4	73	1760
JU4H-UFH0	4	73	1760
	4	88	2100
	4	98	2350
JU4H-UFH2	4	98	2350
	4	99	2600
JU4H-UF40	4	94	1760
	4	105	2100
	4	106	2350
JU4H-UF42	4	106	2350
	4	106	2600
JU4H-UF50	4	79	1470
	4	110	1760
	4	130	2100
	4	127	2350
JU4H-UF52	4	127	2350
	4	127	2600
JU4H-UF54	4	122	2350
	4	139	2600
	4	145	2800
	4	145	3000
JU4H-UF58	4	79	1470
	4	110	1760
DQ6H-UFKA4G	6	290	1760
DQ6H-UFKA48	6	240	1470
DQ6H-UFKA50	6	340	2100
DQ6H-UFKA60	6	345	1760
	6	360	2100
DQ6H-UFKA88	6	375	1760
DQ6H-UFKA98	6	300	1470
	6	410	1760
DP6H-UFKA50	6	265	1760
	6	280	2100
	6	286	2350

DP6H-UFKA62	6	300	2350
JU6H-UFD0	6	110	1760
	6	144	2100
	6	148	2350
JU6H-UFD2	6	148	2350
	6	148	2600
JU6H-UF30	6	94	1470
	6	140	1760
	6	160	2100
	6	160	2350
JU6H-UF32	6	160	2350
	6	160	2600
JU6H-UF34	6	160	2350
	6	160	2600
	6	160	2800
	6	175	3000
JU6H-UFG8	6	130	1470
	6	149	1760
JU6H-UFM8	6	136	1470
	6	175	1760
JU6H-UFM0	6	175	1760
	6	207	2100
	6	200	2350
JU6H-UFM2	6	200	2350
	6	200	2600
JU6H-UF58	6	138	1470
	6	183	1760
JU6H-UF50	6	138	1470
	6	183	1760
	6	210	2100
	6	210	2350
JU6H-UF52	6	210	2350
	6	210	2600
JU6H-UF54	6	210	2350
	6	216	2600
	6	216	2800
	6	216	3000
JU6H-UF68	6	175	1470
	6	200	1760
JU6H-UF60	6	175	1470
	6	200	1760

	6	240	2100
	6	240	2350
JU6H-UF62	6	240	2350
	6	240	2600
JU6H-UF84	6	243	2350
	6	247	2600
	6	259	2800
	6	275	3000
JU6H-UFABL0	6	173	1760
JU6H-UFABL0	6	173	2100
JU6H-UFABL0	6	173	2350
JU6H-UFABL2	6	173	2350
JU6H-UFABL2	6	173	2600
JU6H-UFABL8	6	136	1470
JU6H-UFABL8	6	173	1760
JU6H-UFKARG	6	252	1760
JU6H-UFKAQ8	6	227	1760
JU6H-UFKAS0	6	260	2100
JU6H-UFKAPG	6	220	1470
JU6R-UFKAL7	6	170	1760
DP6H-UFKA88	6	290	1760
DQ6H-UFKA40	6	310	2100
DR8H-UFKA5G	8	450	1470
DR8H-UFKA68	8	495	1760
DR8H-UFKA62	8	497	1900
	8	500	2100
	8	500	2350
DR8H-UFKA40	8	385	1470
	8	460	1760
	8	472	1900
	8	490	2100
	8	490	2350
DS0H-UFKA68	10	522	1470
	10	587	1760
DS0H-UFKA60	10	600	1900
	10	614	2100
	10	606	2350
DT2H-UFKA58	12	700	1470
DT2H-UFKA50	12	800	1760
	12	800	1900
	12	800	2100

DT2H-UFKA20	12	700	1760
	12	700	2100
DP6H-UFKAX8	6	240	1470
JU6R-UFKARF	6	247	1760
JU6R-UFKAPF	6	203	1470
JU6R-UFKAS9	6	252	2100
JU6H-UFKAQ8	6	227	1760
JU6R-UFKAQ7	6	222	1760
DR8H-UFKA92	8	596	2100
DR8H-UFKA98	8	556	1760
DS0H-UFKAM0	10	520	1760
DS0H-UFKAM0	10	530	2100
DS0H-UFKA92	10	722	2100
DS0H-UFKA98	10	650	1760
DT2H-UFKA88	12	875	1760
DS0R-UFKA67	10	481	1470
DS0R-UFKA67	10	538	1760
DS0R-UFKA59	10	552	2100
DT2H-UFKA60	12	725	1470
	12	805	1760
	12	880	2100
DT2H-UFKA98	12	825	1470
	12	982	1760
	12	1000	1900
DT2H-UFAA92	12	1025	2100
JW6H-UFAA60	6	360	2350
JW6H-UFAA80	6	422	1760
	6	400	2100
JU4R-UF09	4	39	1760
	4	48	2100
	4	52	2350
JU4R-UF11	4	52	2350
	4	55.5	2600
JU4R-UF13	4	53	2350
	4	56.5	2600
	4	66.5	2800
	4	66.5	3000
JU4R-UF19	4	58.5	1760
	4	64.5	2100
	4	68	2350
JU4R-UF21	4	68	2350

	4	70.5	2600
JU4R-UF23	4	70	2350
	4	72.5	2600
	4	76.5	2800
	4	78	3000
JU4R-UF40	4	94	1760
	4	105	2100
	4	106	2350
JU4R-UF49	4	106	1760
	4	123	2100
	4	117	2350
JU4R-UF51	4	119	2350
	4	119	2600
JU4R-UF53	4	116	2350
	4	131	2600
	4	135	2800
	4	133	3000

**DIESEL ENGINES RATED FOR USE WITHIN SPEED RANGES**

Model	No. of Cylinders	Minimum		Maximum	
		Rated Speed (rpm)	Rated HP	Rated Speed (rpm)	Rated HP
JU4H-UF04	4	2350	50	2600	55
JU4H-UF04	4	2600	55	2800	60
JU4H-UF04	4	2800	60	3000	60
JU4H-UF10	4	1760	41	2100	51
	4	2100	51	2350	55
JU4H-UF12	4	2350	55	2600	59
JU4H-UF14	4	2350	55	2600	59
	4	2600	59	2800	70
	4	2800	70	3000	71
JU4H-UF20	4	1760	60	2100	67
	4	2100	67	2350	72
JU4H-UF22	4	2350	72	2600	75
JU4H-UF24	4	2350	72	2600	75
	4	2600	75	2800	80
	4	2800	80	3000	83
JU4H-UF30	4	1760	64	2100	79
	4	2100	79	2350	85
JU4H-UF32	4	2350	85	2600	85
JU4H-UF34	4	2350	85	2600	85
	4	2600	85	2800	104

	4	2800	104	3000	115
JU4H-UFH8	4	1470	63	1760	73
JU4H-UFH0	4	1760	73	2100	88
	4	2100	88	2350	98
JU4H-UFH2	4	2350	98	2600	99
JU4H-UF40	4	1760	94	2100	105
	4	2100	105	2350	106
JU4H-UF42	4	2350	106	2600	106
	4	1760	110	2100	130
JU4H-UF58	4	1470	79	1760	110
JU4H-UF50	4	1470	79	1760	110
	4	1760	110	2100	130
	4	2100	130	2350	127
JU4H-UF52	4	2350	127	2600	127
JU4H-UF54	4	2350	122	2600	139
	4	2600	139	2800	145
	4	2800	145	3000	145
DQ6H-UFKA60	6	1760	345	2100	360
DQ6H-UFKA98	6	1470	300	1760	410
DP6H-UFKA50	6	1760	265	2100	280
	6	2100	280	2350	286
JU6H-UFD0	6	1760	110	2100	144
	6	2100	144	2350	148
JU6H-UFD2	6	2350	148	2600	148
JU6H-UF30	6	1470	94	1760	140
	6	1760	140	2100	160
	6	2100	160	2350	160
JU6H-UF32	6	2350	160	2600	160
JU6H-UF34	6	2350	160	2600	160
	6	2800	160	3000	175
JU6H-UFG8	6	1470	130	1760	149
JU6H-UFM8	6	1470	136	1760	175
JU6H-UFM0	6	1760	175	2100	207
	6	2100	207	2350	200
JU6H-UFM2	6	2350	200	2600	200
JU6H-UF58	6	1470	138	1760	183
JU6H-UF50	6	1470	138	1760	183
	6	1760	183	2100	210
	6	2100	210	2350	210
JU6H-UF52	6	2350	210	2600	210
JU6H-UF54	6	2350	210	2600	216

	6	2800	216	3000	216
JU6H-UF68	6	1470	175	1760	200
JU6H-UF60	6	1470	175	1760	200
	6	1760	200	2100	240
	6	2100	240	2350	240
JU6H-UF62	6	2350	240	2600	240
JU6H-UF84	6	2350	243	2600	247
	6	2800	259	3000	275
JU6H-UFABL8	6	1470	136	1760	173
JU6H-UFABL0	6	1760	173	2350	173
JU6H-UFABL2	6	2350	173	2600	173
JU6R-UFKAD9	6	1760	107	2100	139
	6	2100	139	2350	141
JU6R-UFKAD1	6	2350	141	2600	139
JU6R-UFKA29	6	1470	92	1760	137
	6	1760	137	2100	155
	6	2100	155	2350	153
JU6R-UFKA31	6	2350	153	2600	151
JU6R-UFKA33	6	2800	148	2960	146
	6	2960	146	3000	161
JU6R-UFKAG7	6	1470	128	1760	146
JU6R-UFKAL9	6	1760	170	2100	168
	6	2100	168	2350	166
JU6R-UFKAL1	6	2350	166	2600	164
JU6R-UFKAM7	6	1470	134	1760	172
JU6R-UFKAM9	6	1760	172	2100	202
	6	2100	202	2350	193
JU6R-UFKAM1	6	2350	193	2600	191
JU6R-UFKA57	6	1470	136	1760	180
JU6R-UFKA49	6	1760	180	2100	205
	6	2100	205	2350	200
JU6R-UFKA51	6	2350	200	2600	201
JU6R-UFKA53	6	2800	204	2960	202
		2960	202	3000	202
DS0H-UFKAN0	10	1760	542	1900	575
	10	1900	575	2100	575
DP6H-UFKA70	6	2100	312	2350	316
JU6R-UFKA67	6	1470	170	1760	195
JU6R-UFKA59	6	1760	195	2100	232
	6	2100	232	2350	228
JU6R-UFKA61	6	2350	228	2600	226



JU6R-UFKA83	6	2800	239	3000	260
KA4H-UFKA24	4	2800	45	3000	45
KA4H-ULKA24	4	2800	45	3000	45
KA4H-UFKA34	4	2600	35	2800	50
	4	2800	50	3000	50
KA4H-ULKA34	4	2600	35	2800	50
	4	2800	50	3000	50

Last Updated on 2017-02-16

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".