



The mentioned product complies with the mentioned test requirement

Intertek LSS Scheme Tick Mark Certificate

17LHK0174-02

In accordance with the Tick Mark Rules and Certification System 5, as defined in ISO / IEC Guide 67, we certify that the product(s)

CP750 Range of Conventional Fire Alarm Sounders

are in conformity with the following standard(s):
EN54-3:2001+A1:2002+A2:2006

Report Number:
10047820

Context Plus Limited

Export House, 175 Mauldeth Road, Fallowfield, Manchester, M14 6SG

and is/are authorised to use the Intertek Tick Mark for the LSS Scheme on the above mentioned product(s)

This certificate is valid until:
13 April 2021

This Certificate is issued in accordance with the Certification Regulations governing its use and in reliance on the undertaking given by the Licensee, and only extends to the use in respect of the goods produced to an acceptable degree of compliance with the Approval Standard. This Certificate is not transferable and remains the property of Intertek Testing and Certification Ltd.

| | |
|---------------------|-----------------------------------|
| Limitations: | Certification Body: ITCL |
| | LSS Reference: LSS 0789 |
| | Issued Date: 18 April 2017 |

Signed on behalf of Intertek, located at Leatherhead, United Kingdom



010

Certification Officer

Nerina Walton





The mentioned product complies with the mentioned test requirement

Intertek LSS Scheme Tick Mark Certificate

17LHK0174-02

The tested product fulfils the criteria based on the Intertek Tick Mark Specification according to the guideline and is therefore awarded the Intertek Tick Mark. The Intertek Tick Mark may be used by the applicant in connection with sales and marketing in order to demonstrate and verify the performance of the tested product.

ANNEX No. 1

| Brand and Type/Model | Description | Factory Code |
|-------------------------|--|--------------|
| Context Plus CP750CSB | 24V 32-tone sounder beacon red body red lens SB | CPRCRAUK.01 |
| Context Plus CP750CSBW | 24V 32-tone sounder beacon white body red lens SBW | CPRCRAUK.01 |
| Context Plus CP750CDB | 24V 32-tone sounder beacon red body red lens DB | CPRCRAUK.01 |
| Context Plus CP750CDBW | 24V 32-tone sounder beacon white body red lens DBW | CPRCRAUK.01 |
| Context Plus CP750CSBA | 24V 32-tone sounder beacon red body amber lens SB | CPRCRAUK.01 |
| Context Plus CP750CSBWA | 24V 32-tone sounder beacon white body amber lens SBW | CPRCRAUK.01 |
| Context Plus CP750CDBA | 24V 32-tone sounder beacon red body amber lens DB | CPRCRAUK.01 |
| Context Plus CP750CDBWA | 24V 32-tone sounder beacon white body amber lens DBW | CPRCRAUK.01 |



Intertek LSS Scheme Tick Mark Certificate

17LHK0174-02

The mentioned product complies with the mentioned test requirement

The tested product fulfils the criteria based on the Intertek Tick Mark Specification according to the guideline and is therefore awarded the Intertek Tick Mark. The Intertek Tick Mark may be used by the applicant in connection with sales and marketing in order to demonstrate and verify the performance of the tested product.

ANNEX No. 2

Bases:

Model Description

| | |
|-----|----------------------|
| SB | Shallow base - red |
| SBW | Shallow base - white |
| DB | Deep base - red |
| DBW | Deep base - white |

Conditions of use:

1. The products listed on this certificate were detailed by the manufacturer to be sounders with supplementary visual indication. The products were not classified as VAD's and therefore compliance to EN54-23 was not assessed.
2. Suitable for indoor (Type A) applications when fitted with a shallow base; and suitable for indoor (Type A) and outdoor (Type B) applications when fitted with a deep base.

Approved settings:

The sounders are compatible with the following tones and volume settings:-

| Models - CP750 (All models) | | | | | | | | | | |
|-----------------------------|---------------------------|----------------|------|-----|-----|-----|-----|---|---------|--|
| Tone | Description | Switch Setting | | | | | | | | |
| | | Flash only | Tone | | | | | | *Volume | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 1 | LF Sweep | OFF | OFF | OFF | OFF | OFF | OFF | - | - | |
| 8 | LF Continuous tone BS5839 | OFF | OFF | OFF | ON | ON | ON | - | - | |
| 11 | Dutch sweep tone | OFF | OFF | ON | OFF | ON | OFF | - | - | |
| 25 | German DIN tone | OFF | ON | ON | OFF | OFF | OFF | - | - | |
| 27 | French tone AFNOR | OFF | ON | ON | OFF | ON | OFF | - | - | |

*The listed tones are approved at high, medium and low volume settings.

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorised to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.